



**CleanTEC DPF Power Cleaner**

Revision date: 28.05.2018

Product code: 2083

Page 1 of 7

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

CleanTEC DPF Power Cleaner

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/mixture**

cleaning solvent for diesel particulate filter

**1.3. Details of the supplier of the safety data sheet**

Company name: cms CleanTEC GmbH

Street: Geretsrieder Str. 33

Place: D-84478 Waldkraiburg

Telephone: +49 (0)8638 8684106

Telefax: +49 (0)8638 8684169

Internet: www.cleantec-chemie.de

**Further Information**

Article Number: 105

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Regulation (EC) No. 1272/2008**

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

**2.2. Label elements**

**Regulation (EC) No. 1272/2008**

**Hazard components for labelling**

Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics  
alkanes, c11-15-iso-  
solvent naphtha

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H304 May be fatal if swallowed and enters airways.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe vapour/aerosole.

P270 Do not eat, drink or smoke when using this product.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of this material and its container to hazardous or special waste collection point.

**Special labelling of certain mixtures**

EUH066 Repeated exposure may cause skin dryness or cracking.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## CleanTEC DPF Power Cleaner

Revision date: 28.05.2018

Product code: 2083

Page 2 of 7

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-48-9	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics			80 -< 100 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Move victim to fresh air. Put victim at rest and keep warm.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

In case of difficulties of breathing consult physician.

If victim is at risk of losing consciousness, position and transport on their side.

#### After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes .

After contact with skin, wash immediately with plenty of water and soap.

Rub greasy ointment into the skin.

#### After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Consult physician.

#### After ingestion

Let water be drunken in little sips (dilution effect). Consult physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

After ingestion: Harmful: may cause lung damage if swallowed.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Warning about danger of aspiration.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Extinguishing powder.

Sand.

alcohol resistant foam.

Carbon dioxide (CO2).

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## CleanTEC DPF Power Cleaner

Revision date: 28.05.2018

Product code: 2083

Page 3 of 7

### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Formation of decomposition products possible.

In case of fire and/or explosion do not breathe fumes.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Cool endangered container in case of fire.

Contaminated fire-fighting water must be collected separately.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of fire: Wear self-contained breathing apparatus.

Keep away from sources of ignition - No smoking.

### 6.2. Environmental precautions

Beat down gas/vapours/mist with water spray.

Do not empty into drains or the aquatic environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Prevent spreading of spillages (e.g. by oil barrier).

Wipe up with absorbent material (eg. cloth, fleece).

### 6.4. Reference to other sections

No data

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Closed devices. Vapours / aerosols must be extracted by suction immediately at point of origin.

Avoid contact with skin and eyes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

#### Further information on storage conditions

Packaging materials: metal.

### 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

#### Protective and hygiene measures

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

#### Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (DIN EN 166)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## CleanTEC DPF Power Cleaner

Revision date: 28.05.2018

Product code: 2083

Page 4 of 7

### Hand protection

Tested protective gloves are to be worn: Butyl rubber. (DIN EN 374)

### Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

### Respiratory protection

In case of accumulation of fumes/aerosols, provide adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory equipment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	transparent
Odour:	aromatic

### Changes in the physical state

Flash point:	62 °C
Ignition temperature:	> 200 °C
Vapour pressure: (at 20 °C)	20 hPa
Density (at 20 °C):	0.78-0.82 g/cm <sup>3</sup>
Water solubility: (at 20 °C)	insoluble

### Solubility in other solvents

Organic solvents

### 9.2. Other information

No data

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

No information available.

### 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

### 10.5. Incompatible materials

Oxidizing agents. acid, concentrated. Alkalis (alkalis), concentrated.

### 10.6. Hazardous decomposition products

Carbon monoxide (CO).

Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## CleanTEC DPF Power Cleaner

Revision date: 28.05.2018

Product code: 2083

Page 5 of 7

### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 5000 mg/kg	Rabbit		
	inhalation (4 h) gas	LC50 >5 ppm	Rat		

### Irritation and corrosivity

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

After ingestion:

Harmful: may cause lung damage if swallowed.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-48-9	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics					
	Acute fish toxicity	LC50 1000 mg/l	96 h	Oncorhynchus mykiss		
	Acute algae toxicity	ErC50 1000 mg/l	72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 1000 mg/l	48 h	Daphnia magna (Big water flea)		

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

Swims on the water.

Low potential of bio-accumulation.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available.

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Do not dispose with household waste.

Do not empty into drains or the aquatic environment.

Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Arrange about the exact waste code with the local waste disposal expert.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## CleanTEC DPF Power Cleaner

Revision date: 28.05.2018

Product code: 2083

Page 6 of 7

### Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.  
Do not pierce, cut up or weld unclean container. (Explosion hazard.)

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number:** -

**14.2. UN proper shipping name:** -

**14.3. Transport hazard class(es):** -

**14.4. Packing group:** -

#### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

### Inland waterways transport (ADN)

#### Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

### Marine transport (IMDG)

#### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

### Air transport (ICAO-TI/IATA-DGR)

#### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics

#### Additional information

Contains:

> 30 % hydrocarbons, aliphatic.

#### National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## CleanTEC DPF Power Cleaner

Revision date: 28.05.2018

Product code: 2083

Page 7 of 7

### Relevant H and EUH statements (number and full text)

H304                      May be fatal if swallowed and enters airways.  
EUH066                  Repeated exposure may cause skin dryness or cracking.

### Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*